

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) In a Universal Plug and Play (UPnP) server system having media content available for streaming, a method for distinguishing between an original format of the media content and a non-original format of the media content, the method being implemented by a UPnP service, the method comprising:

identifying at least one media content identifier in a media content directory, wherein the media content identifier identifies the media content;

identifying a plurality of stream access identifiers that are associated with the media content identifier, wherein the stream access identifiers identify different media data streams corresponding to the same media content, wherein the stream access identifiers comprise a first stream access identifier that ~~identifies~~ corresponds to an original media data stream and a second stream access identifier that ~~identifies~~ corresponds to a non-original media data stream, wherein the original media data stream corresponds to the original format of the media content and is streamed from the server system without transcoding or protocol translation being performed, wherein a client is configured to select the original media data stream over the non-original media data stream, but wherein the client is unable to determine which stream access identifier corresponds to the original media data stream;

receiving a request from the client to determine whether the first stream access identifier or the second stream access identifier corresponds to the original media data stream; and

in response to receiving the request from the client, determining that the first stream access identifier corresponds to the original media data stream and notifying the client that the first stream access identifier corresponds to the original media data stream.

~~distinguishing between the first stream access identifier that identifies the original media data stream and the second stream access identifier that identifies the non-original media data stream; and~~
~~in response to a client request, providing the client with identifier information about the first stream access identifier that corresponds to the original media data stream.~~

2-3. (Canceled)

4. (Currently Amended) The method of claim 1, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises receiving user input.

5. (Currently Amended) The method of claim 1, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises matching a characteristic of the ~~at least one~~ first stream access identifier to a similar characteristic of the media file.

6. (Currently Amended) The method as in claim 1, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises applying a rule to the plurality of stream access identifiers.

7. (Canceled)

8. (Currently Amended) The method of claim 1, wherein the media content directory comprises an attribute that specifies whether a particular stream access identifier corresponds to the original media data stream.

9. (Currently Amended) The method of claim 8, wherein the ~~at least one~~ first stream access identifier comprises the attribute.

10. (Currently Amended) A Universal Plug and Play (UPnP) server system having media content available for streaming, comprising:

a UPnP content directory service implementation;

a media content directory maintained by the UPnP content directory service implementation, comprising:

a media content identifier identifying media content; and

a plurality of stream access identifiers that are associated with the media content identifier, wherein the stream access identifiers identify different media data streams corresponding to the same media content, wherein the stream access identifiers comprise a first stream access identifier that ~~identifies~~ corresponds to an original media data stream and a second stream access identifier that ~~identifies~~ corresponds to a non-original media data stream, wherein the original media data stream corresponds to an original format of the media content and is streamed from the server system without transcoding or protocol translation being performed, wherein a client is configured to select the original media data stream over the non-original media data stream, but wherein the client is unable to determine which stream access identifier corresponds to the original media data stream; and

an original stream identification service implementation configured to:

receive a request from the client to determine whether the first stream access identifier or the second stream access identifier corresponds to the original media data stream; and

in response to receiving the request from the client, determine that the first stream access identifier corresponds to the original media data stream and notify the client that the first stream access identifier corresponds to the original media data stream.

~~distinguish between the first stream access identifier that identifies the original media data stream and the second stream access identifier that identifies the non-original media data stream; and~~
~~in response to a client request, provide the client with identifier information about the first stream access identifier that corresponds to the original media data stream.~~

11-12. (Canceled)

13. (Currently Amended) The server system of claim 10, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises receiving user input.

14. (Currently Amended) The server system of claim 10, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises matching a characteristic of the ~~at least one~~ first stream access identifier to a similar characteristic of the media file.

15. (Currently Amended) The server system of claim 10, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises applying a rule to the plurality of stream access identifiers.

16. (Canceled)

17. (Currently Amended) The server system of claim 10, wherein the media content directory comprises an attribute that specifies whether a particular stream access identifier corresponds to the original media data stream.

18. (Currently Amended) The server system of claim 17, wherein the ~~at least one~~ first stream access identifier comprises the attribute.

19. (Currently Amended) A computer readable medium that is part of a Universal Plug and Play (UPnP) server system having media content available for streaming, the computer-readable medium comprising instructions that are executable for identifying an original format of the media content, the instructions being executable to:

identify at least one media content identifier in a media content directory, wherein the media content identifier identifies the media content;

identify a plurality of stream access identifiers that are associated with the media content identifier, wherein the stream access identifiers identify different media data streams corresponding to the same media content, wherein the stream access identifiers comprise a first stream access identifier that ~~identifies~~ corresponds to an original media data stream and a second stream access identifier that ~~identifies~~ corresponds to a non-original media data stream, wherein the original media data stream corresponds to the original format of the media content and is streamed from the server system without transcoding or protocol translation being performed, wherein a client is configured to select the original media data stream over the non-original media data stream, but wherein the client is unable to determine which stream access identifier corresponds to the original media data stream;

receive a request from the client to determine whether the first stream access identifier or the second stream access identifier corresponds to the original media data stream;

and

in response to receiving the request from the client, determine that the first stream access identifier corresponds to the original media data stream and notify the client that the first stream access identifier corresponds to the original media data stream.

~~distinguish between the first stream access identifier that identifies the original media data stream and the second stream access identifier that identifies the non-original media data stream; and~~
~~in response to a client request, provide the client with identifier information about the first stream access identifier that corresponds to the original media data stream.~~

20-21. (Canceled)

22. (Currently Amended) The computer-readable medium of claim 19, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises receiving user input.

23. (Currently Amended) The computer-readable medium of claim 19, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises matching a characteristic of the ~~at least one~~ first stream access identifier to a similar characteristic of the media file.

24. (Currently Amended) The computer-readable medium of claim 19, wherein determining that the first stream access identifier corresponds to the original media data stream ~~identifying the at least one stream access identifier~~ comprises applying a rule to the plurality of stream access identifiers.

25. (Canceled)

26. (Currently Amended) The computer-readable medium of claim 19, wherein the media content directory comprises an attribute that specifies whether a particular stream access identifier corresponds to the original media data stream.

Appl. No. 10/675,033

Amdt. dated March 5, 2009

Reply to Office Action of November 5, 2008

27. (Currently Amended) The computer-readable medium of claim 26, wherein the ~~at least~~
~~one~~ first stream access identifier comprises the attribute.